



JAB & GAB



The Wyoming Immunization Program Newsletter

First "Sharp Shooter" Award Winner SELECTED



The "Sharp Shooter" award recipient for July 2008 is Washakie County Public Health Nursing (PHN) for their efforts in protecting citizens in their county against vaccine-preventable disease.

Washakie County PHN identified that several doses of Menactra, the vaccine for meningococcal disease, would expire if not used. In an attempt to prevent vaccine wastage and improve immunization coverage rates, they identified an opportunity to protect high-risk youth at the Wyoming Boys' School in Worland against meningococcal disease in early 2008.

By communicating and coordinating with the Wyoming Boys' School, Washakie County PHN staff was able to provide the Menactra vaccine on-site to the facility's at-risk youth, thus protecting them against meningococcal disease.

As a result of the efforts by the Wyoming Boys' School staff and staff from Washakie County PHN, a total of 35 boys received vaccine, protecting them against meningococcal disease. This strategy also prevented vaccine wastage, since several doses of the meningococcal vaccine were set to expire if not used.

In addition, when the Wyoming Immunization Program conducted an on-site visit to determine immunization coverage rates for children between 0-24 months old, Washakie County PHN's coverage rate for Varicella (chicken pox) vaccine was 95% (93 of 98 children). Washakie County PHN has also demonstrated concerted efforts in ensuring that vaccine wastage rates remain low. During 2007, Washakie County PHN's wastage rate was 0.28%.

Thank you to Washakie County PHN for their commitment to protecting the citizens in their region against vaccine-preventable disease as well as their vigilance in ensuring that their vaccine wastage rates remain low. To recognize Washakie County PHN for their efforts in improving immunization rates, they will be receiving a "Sharp Shooter" award to display in their office and will receive a token of appreciation for their hard work.

For your convenience, a "Sharp Shooter" award application has been included with this issue of the Jab & Gab. We hope you will consider submitting an application to share your immunization efforts, so we can continue to reward and share immunization best practices with other providers in Wyoming.

"Sharp Shooter"
Honorable Mention



Willow Creek Family Medicine,
Cheyenne, WY

Thank you for your efforts in protecting your patients
against vaccine-preventable disease!

Wyoming Department
of Health

JAB & GAB

Volume 4, Issue 7
July 2008

Sections

Vaccine Office 2 - 3

- Expired Vaccine Reminder
- Vaccine Transfers
- Expired Vaccine to McKesson
- Temp Logs
- Office Closures

Education Office 3

- Who Has Your 'Back'?
- Upcoming Events and Trainings

Clinical Services Office 4

- Cold Chain
- New and Upcoming Vaccines
- Addressing Parent Concerns
- Check the Vial
- PVC7 Booster Schedule

WylR Office 5 - 6

- Provider Enrollment
- New Password Requirements
- Distance Learning Tools
- System Bugs
- Version Upgrade
- Laptops for WylR Users
- WylR Room by Lisa Wordeman

Shining Stars 7

Calendar/Reminders 8

***Don't forget to check your
email for communication
from us!**

**FY!! The JAB & GAB is
posted on the
www.immunizewyoming.com
website every month.**



World of the Vaccine Office By Randy DeBerry

Benchmarking Thank You

The Vaccine Program staff wanted to sent out a big "Thank You" to all of our providers for the successful completion of the May 2008 CDC Benchmarking requirement. We understand this was a time consuming and laborious process, however, we appreciate your willingness and "can do" attitude in fulfilling the yearly CDC requirement.

Expired Vaccine Reminder

Over the next several months there are many doses of vaccine nearing expiration. Please be diligent about the expiration dates of your WyVIP Vaccine. Please notify the WyVIP Staff within 60 days, or as soon as you determine that you will not be able to use your current supply of short dated vaccine, so that we can facilitate a vaccine transfer if possible.

Vaccine Transfers

During the month of July 2008, the Vaccine Program will be transferring a large amount of vaccine to providers. This initiative is a result of our recent CDC site visit, in which we were advised to try and take proactive steps to reduce the excess vaccine volumes in clinics. In concordance with CDC wishes, we have been contacting clinics in order to determine if they had any vaccine that they felt they would not use. As a result of these calls we have identified a large amount of vaccine that needs to be transferred to providers who will use the vaccine. A majority of this vaccine is overstock accumulated from the depot dump in 2007. In order to ensure that this vaccine is used, we will be filling some vaccine orders next month with vaccine that clinics have requested to be transferred. As such, if you receive a box of vaccine from another clinic next month, this is the reason why. If you DO NOT wish to receive any of your vaccine order via vaccine transfer please let the Vaccine Program staff know ASAP. We will make every possible effort to accommodate your wishes.

New Expired Vaccine Return Policy

McKesson has changed their policy regarding returning expired vaccine to them. Here is an outline of the new policy provided to the Vaccine Program via McKesson Customer service:

"We (McKesson) primary use UPS to pick up and return our cooler boxes as well as your expired vaccines. If the locations have a regular UPS driver that comes by on a regular basis, that UPS ARS return label allows the driver to take the box with out having a pick up scheduled. If the site does not have a UPS driver that comes by, you (The Vaccine Program) may call the CDC Customer Service line or send an e-mail to CDCCUSTOMERSERVICE@MCKESSON.COM requesting we schedule a driver to come by. Only if the UPS driver is un-responsive to the requests of the box pick ups or refuses to pick up the box or boxes, please let CDC Customer Service know, and we will then schedule a pick up with FDX Ground who will bring a label to place on the box. At that point, please scratch through the UPS label so as not to confuse the FDX Ground driver."

As such, if you have any expired vaccine that needs to be returned to McKesson, please follow these steps:

1. Fax and Expired Vaccine To McKesson Form to the Vaccine Program
2. Pack the vaccine in a box, it can be but does not HAVE to be a McKesson box, in such a way that the vaccine is protected from damage and possible leaks. You also need to put a copy of the Vaccine To McKesson Form in the box with the vaccine.
3. Once the Vaccine To McKesson Form is received by the program, a member of the Vaccine Program Staff will contact your office by phone to determine how your vaccine will be picked up and will mail you a UPS return label.
4. If the Vaccine Program is notified by McKesson that FedEx will be used instead of UPS, a Vaccine Program staff member will contact your clinic immediately and give you instructions on how to proceed.

If you have any questions, comments, or concerns about this process please contact the Vaccine Manager, Randy DeBerry, at (307) 777-8983.

Temp. Log Reminder

A friendly reminder to all WIP Providers to please ensure that your temperature logs are complete when you send them into the Vaccine Program. A completed temperature log should include the **time** the temperature was checked, what the **temperature in the refrigerator** was, and the **room temperature** recording. Please remember that valid temperature verification should also include the **initials of the individual who checked the temperature**. If the initials are not present on the temperature log, then the Vaccine Program cannot accept the log, and your clinic will be viewed as non-compliant on submitting their monthly reports. The end result of being non-compliant on your monthly paperwork could be not receiving a monthly vaccine order. As such, please check to ensure that your temperature logs include all the required information.

Holiday Office Closures

Please let the Vaccine Program Personnel know ASAP if your office is going to be closed outside of any regular office hours over the summer holiday/travel season. It is imperative that the Vaccine Program know of any office closures so that we can insure that no vaccine is delivered to your office during those periods of time. You can let the Vaccine Program know either via phone call or email. THANK YOU very much.


Who Has Your 'Back'? By Andrea Clement-Johnson

As part of participation in WyVIP, providers are expected to have 1) a primary immunization contact and 2) a secondary immunization contact. The staff who serve in these roles are invaluable for protecting vaccine supply, monitoring inventory and doses administered, sharing information from our offices, assisting with site visits, and ensuring that immunization-related needs and issues are reported in a timely manner. Recently, we have taken stock of the primary and secondary contacts for WyVIP providers and found that we only have 31 out of 131 sites with a secondary contact listed! We realize that we may be missing some information from our internal records, but we fear that many offices may be in need of that secondary contact.

By July 8, 2008, your office will receive a call verifying your secondary immunization contact. It is not necessary for this person to be a trained healthcare worker, but it is very important that this person receive training and guidance from the program either from the office primary contact or from the Immunization Program (or Public Health Nursing liaison, if applicable) on 1) cold chain and vaccine storage and handling 2) WyVIP policy and procedures 3) vaccine reporting 4) registry training (if applicable). During this call, you will be asked if you require training or guidance for the secondary staff personnel. We are happy to set up a phone or, if possible, in-person training time to provide this service to you. Our Public Health Nursing partners may make arrangements with Lisa Lucas by calling 777-7383.

Because we have recently experienced a great deal of vaccine loss, policy issues, and difficulty scheduling required site visits, we must ensure that we have these people available in offices. Those providers who do not identify a secondary contact by July 30, 2008 will not receive a vaccine order in August or after that time until this secondary contact has been identified. We thank you in advance for all that you do to effectively immunize Wyoming's children!

NOTE: In the June issue of Jab & Gab, it was noted that a 4th dose of polio is required by age 6 as established by ACIP. However, Wyoming School Law states that at least one dose of polio vaccine should occur on or after a child's fourth birthday and BEFORE Kindergarten admission. Also, if the 3rd dose of polio occurs on or after the fourth birthday, a 4th dose of polio is NOT required. We apologize for this error.



Upcoming Events & Trainings in Health and Immunization by Andrea Clement-Johnson

July 16 WIP Monthly Teleconference: 12:15 p.m.-1:30pm.
Call in information 1-877-278-8686, Participant ID, **687555**

July 18 WIP Enrollment and Policy and Procedure Training for new providers and/or new staff: 8:00-9:00 OR 4:00 to 5:00. Please call Andrea by July 17, 5:00 p.m. at 307-777-8981 to RSVP for either time.

August 12-14 National Conference on Health Communication, Marketing and Media
Location: Atlanta, Georgia Website: <http://www.cdc.gov/HealthMarketing/conference2008.htm>

August 20 WIP Monthly Teleconference: 12:15 p.m.-1:30pm.
Call in information 1-877-278-8686, Participant ID, **687555**

September 17-19 Wyoming Public Health Association Annual Education Conference
Best Western Ramkota Hotel Casper, Wyoming

Continuous Effectively Addressing Parents' Concerns about Immunizations
Web recast is available at <http://www.cdc.gov/vaccines/ed/ciinc/2008June.htm> Continuing Education credits available.



Clinical Corner By Joanna Briggs

As this is being written the ACIP is gathering for their June meeting. We can expect more changes and I will keep you updated as those changes are shared. But currently we have the following issues:

Cold chain reminders

Be sure to mark the time and initial when a temp is recorded, twice daily. If you have a shortened work day, write down the time and record the temp as you leave. Remember to clear the memory on the white digital thermometer each time temps are read. This can provide valuable data during a power outage when temperature extremes are needed to determine viability. All cold chain failures are to be reported to me and we'll work on determining if loss has occurred.

New and Upcoming Vaccines

Pentacel® is to be licensed at any time. This is a combination of the Daptacel, IPOL, ActHIB and we anticipate a schedule of 2, 4, 6, and 12 – 15 months.

Just FDA licensed is Rotarix®, a two dose rotavirus vaccine, live, oral, Quadrivalent (G1, G3, G4, and G9) which needs reconstituted. Schedule 6-8 weeks for 1st dose and second dose 4 weeks following the 1st dose (but no later than 24 weeks).

We are presently administering RotaTaq which is pentavalent (G1, G2, G3, G4 and P1A), 3 doses, live, constituted oral vaccine. Schedule 6-8 weeks for 1st dose, 2nd dose 4-10 weeks after the first dose, and the 3rd dose 2 months following the 2nd dose (and no later than 32 weeks). There are no studies on interchanging of the two vaccines. The ACIP met the week of June 23rd for approval and we will be discussing in Wyoming Advisory Board in July. We will update you as information is received.

Addressing Parents' Concerns

Current Issues in Immunizations on June 12, 2008 addressed the increase in parent objections to vaccinations. I have included the slides handout. **SEE INSERTS**. The webcast can be viewed at:

<http://www.cdc.gov/vaccines/ed/ciinc/2008June.htm>

I would encourage you to take the time to listen as many staff report having to deal with more parental questions regarding immunizations; who doesn't need help at some time?

Check the Vial

Reminder to check your vials and be sure to clearly identify the label – please don't depend on the color of the top. There is an enclosed circular identifying those frequently misread bottles. **SEE INSERTS**. I encourage you to post it for your reference. Also, please email or call with medication error incidents.

PCV7 booster schedule

I am still being asked about administering PCV7 over 24 months. Yes, you can and SHOULD give a complete series according to the following guidelines:

- For all healthy children aged 24--59 months, who have not completed any recommended schedule for PCV7, administer 1 dose of PCV7.
- For all children with underlying medical conditions aged 24--59 months, who have received 3 doses, administer 1 dose of PCV7.
- For all children with underlying medical conditions aged 24--59 months who have received <3 doses, administer 2 doses of PCV7 at least 8 weeks apart.

Latest reports indicate that since the introduction of the vaccine in 2000, there has been an 81% decrease in pneumococcal disease with penicillin-nonsusceptible strains in children less than two years of age. There is a reported 49% decrease in disease among patients over 65 years of age.



Get WylR'd!
by John
Anderson

WylR Provider Enrollment Process

We did manage to reduce the number of active accounts within the WylR by about 150, which is great. We also managed to identify whom should be the point of contact for the WylR users within the office, and added the names listed on the form to the email list for primary WylR contacts. The updated information was quite handy in creating an email contact list to notify users of recent system bugs identified.

New Password Requirements – Starting 07/01/08

Through this enrollment process, the WylR staff learned of multiple users utilizing the same user name and password. Not only is this a HIPAA violation, it also compromises the ability of the WylR administration to track whom actually altered a record if a change was made. Upon the WylR Individual User Agreement, the following is agreed to by signing:

“Each user is responsible for safeguard his/her user ID and password. All passwords are to be treated as sensitive and confidential. Users are never to reveal a password over the phone to anyone. Users are never to use the same password at work and for personal use. Users must never reveal a password in an email message. Users must never use the “remember password” feature of applications. Users must never retain any written record of passwords on your person. Users must never leave a written record of passwords in their work area. User ID and/or password must not be given to anyone other than WylR Administrators.”

We have drafted Confidentiality and Security Procedures for approval by CPHD administration, and once in place, will change the way that passwords are managed. Expect to have to change your password every 40 days. The following proposed changes fall in line with DOH IT standards for strong passwords that can be configured to the WylR database:

Are at least six alphanumeric characters in length; contain at least one number in the password (e.g., 0-9); All passwords must be changed at least every 40 days; and each account must have a unique password from all other accounts managed by a provider.

We realize that there may be an inconvenience in remembering a new password, but if you do forget, simply give the WylR Help Desk a call, and we will return the call at the number supplied to us within the WylR Enrollment Agreement with your new password. You can then login with the newly supplied password and change it immediately so that you will be the only one that knows the password.

GOOD NEWS! Posting of Distance Learning Tools (DLT's)

Please navigate to the WylR section within www.immunizewyoming.com – there, you will see our Distance Learning Tools posted for you to utilize at your convenience. This format allows all new users to receive training prior to receiving administrative rights to the WylR. It also allows current users to refresh their abilities as well. Please keep in mind that once our proposed Confidentiality and Security Policies and Procedures are approved, all **new users** will have to sign a form denoting that they viewed and completed the Distance Learning Training tool that corresponds to their requested access level. Please, take a look at them and let us know what you think.

Updated System Bugs posted

As new bugs are identified, we will notify the primary WylR contact at each office of the information. It is indeed nice to have updated primary contact information from the WylR Enrollment Process for a purpose such as this. Please navigate to the link available within the WylR section on the www.immunizewyoming.com webpage to see the latest system bugs for Version 4.1.2.5

Version Upgrade (V4.3.1.2)

We have received the latest version upgrade and placed it upon our test environment for in-house testing. We are attempting a fundamental shift in the way in which version releases are conducted. Currently, WylR staff tests exclusively in-house for system bugs and releases the version to production once testing is complete. However, due to our current configuration (e.g., being hosted on a desktop rather than server environment), the last upgrade experienced load issues that could not be replicated prior to release to production, which resulted in the three weeks of the registry being up and down for quite a while. With the shift underway, we will be looking to implementing something quite new – placing the test database on a server environment. Our primary Department of Health IT Guru Andy Yocum is working with STC to create this secure environment; once in place, we will be asking for users to log-in and test the system along with us.

Laptops for WyIR Users

We are working with the Department of Health IT program to retrofit some laptops with improved memory so that we may be able to loan them to users of the WyIR to enhance the clinical flow for their patients. We are working out the details of this process, but if you would like a laptop on loan for the WyIR, please contact us and we will place you on a waiting list. Once we have the policies in place, we will then begin the loan process. We hope that these upgrades will continue to enhance the efficiency of vaccination delivery for your office.



WyIR Room By Lisa Wordeman

The warm weather is finally here! After spending some time in Tucson, Arizona for the STC User's Group Meeting, it was nice to come home to warm weather in Wyoming. I met some great people at the Meeting, as well as learned some new and innovative uses of the Registry. I'm in the process of researching a new "gadget" that we're hoping to pass on to our users to give quick and easy access to the Registry.

Also this month, I did several online trainings through our Bridgit program. I'm excited that we've got our Distance Learning Tools up and running, too. Yet another way to improve our training and meet the needs of all our users.

Don't forget to call our Help Desk at 800-599-9754 if you have any questions about the Registry—I'm here to help!

Top Vaccines Administered by WyIR Users In May 2008

Vaccine Type	# of Doses	% of Total
Pneumococcal(PCV7)	915	12.19
Hib	720	9.6
DtaP/Hep B/IPV	582	7.75
DtaP	548	7.3
HPV	527	7.02
Varicella	525	6.99
Tdap	515	6.86
Hep A- Pediatric	508	6.77
MMR	504	6.71
IPV	359	4.78

Did you know...

That the WyVIP program, in partnership with the Communicable Disease Viral Hepatitis Program, can provide Adult Hepatitis A and B Vaccines to those providers who utilize the Registry and who see patients over the age of 18, at the same administrative fee as children served by WyVIP? If you want to learn more about options for enrolling in the adult program, please call us at 777-7952.

Cie Daniels, LPN, outreach specialist for the Wyoming Immunization Program receives her 15 Year Service Pin.





Shining Stars!

By Lily Valdez

WyVIP congratulates the following providers for submitting their [May reports](#) correctly and by the 2nd business day of **June**. I appreciate your hard work and efforts in helping this Incentive program become a huge success. You all did an awesome job!

Albany Co PHN
Alpha Family Medicine
Alpine Family Medical Clinic
Arapahoe Health Center
Babson & Associates of Primary Care
Banner Medical Clinic
Bennett, Michele L., MD, PC
Big Horn Basin Childrens Clinic
Big Horn Clinic
Big Horn Co PHN-Greybull
Big Horn Co PHN-Lovell
Big Horn Pediatrics
Billings Clinic - Cody
Bridger Valley Family Practice
Brown, Craig, MD
Campbell Co PHN
Carbon Co PHN-Rawlins
Carbon Co PHN-Saratoga
Casper Natrona Co Health Dept
Castle Rock Medical Center
Cedar Hills Family Clinic
Cheyenne Children's Clinic
Cheyenne Family Medicine
Cheyenne Health & Wellness Center
Community Health Center of Central Wyoming
Converse Co PHN
Crook Co PHN
Ellbogen, David A., MD
Emerg-A-Care
Engle, Deeanne, MD
Evanston Pediatrics
Family Care Clinic, LLC
Family First, PC
Family Medical Care
Family Medical Center
Fisher, Carol A., MD
Fremont Co Pediatric Clinic
Fremont Co PHN-Riverton
Fremont Family Practice
FT Washakie Health Center
Goose Creek Pediatrics

Goshen Co PHN
Granum, Michael J., MD
Health Care for the Homeless
Hot Springs Co PHN
Hunter Family Medical Clinic, PC
Johnson Co PHN
Kurt S. Johnson, MD, PC
Lander Medical Clinic
Lander Regional Hospital
Laramie Pediatrics
Laramie Childrens Clinic
Lincoln Co PHN-Afton
Lincoln Co PHN- Kemmerer
Medicine Bow Health Center
Memorial Hospital of Carbon Co.
Memorial Hospital of Sweetwater Co.
Moorcroft Clinic
Myers, Harlen, MD
Niobrara Co PHN
Northeast Wyoming Pediatrics
Oregon Trail Rural Health Clinic
Park Co PHN-Cody
Park Co PHN-Powell
Pediatric and Adolescent Clinic, Inc
Platte Co Memorial Hospital
Platte Co PHN
Platte Valley Medical Clinic
Pockat, Tom, MD
Quinn, Michael J., MD-FAAP
Rawlins Family Medical
Red Rock Family Practice
Region V Boces
Riverton Community Health Center
Riverton Memorial Hospital
Sheridan Co Comm. Health
Sheridan Family Practice PC
Sheridan Memorial Hospital
South Lincoln Medical Center
South Lincoln Medical Clinic
St. John's Medical Center
Star Valley Family Physicians
Star Valley Medical Center
Sublette Co PHN

Sweetwater Co Comm. Nursing
SvcS-Green River
Sweetwater Co Comm. Nursing
SvcS-Rock Spgs
Sweetwater Medical Group
Sweetwater Pediatrics, PC
Teton Co PHN
The Family Clinic, LLC
Total Family Health, PC
Tri-County Medical Center
Uinta Co PHN-Evanston
Uinta Co PHN-Lyman
UW Family Practice
UW Student Health
Wagon Circle Medical Clinic
Washakie Co PHN
Western Family Care
Western Medical Associates, LLC
Weston Co PHN
Willow Creek Family Medicine
Wind River Pediatrics
Women's Health Center
Woodward, Drew, MD, PC

Congratulations!

By submitting their monthly reports correctly and by the 2nd business day of the month for three months the following providers have achieved the **Good Job! Award** (stress ball push pen). These providers are now on target for the **Excellent! Award** (Tri- highlighter set).

ABC Pediatrics
Cesko Family Medicine
Jackson Pediatrics
Rock Springs Family Practice, Inc
Thomas, Jennifer, MD, PC
Uinta Family Practice



July 2008



Sun	Mon	Tue	Wed	Thu	Fri	Sat
		1	2 Monthly Reports Due	3	4 Office closed	5
6	7	8	9	10	11	12
13	14	15	16 WIP Monthly Telecon-ference	17	18 Policy and Procedures Training available 8:00 to 9:00 or 4:00-5:00	19
20	21	22	23	24	25	26
27	28	29	30	31		

Important Dates in July

July 2: ALL monthly reports due:

- Doses Administered Forms
- Inventory Forms
- Temperature Logs

• A REMINDER! The Doses Administered Reports you send in are the basis for replenishing your vaccine orders. If you have Special Clinic Order forms, flu doses administered, transfer of vaccine forms and/or preference forms, please send them at this time as well.

July 16: WIP Monthly Teleconference: 12:15 p.m.-1:30pm. Call in information 1-877-278-8686, Participant ID, **687555**.

July 18: WIP Policy and Procedure Training, Please RSVP by July 17, to Andrea for call in information.

Some important reminders about WyVIP:

- The maximum administrative fee your office may charge for WyVIP vaccine is \$14.31 per shot.
- Vaccine nearing expiration must be reported to our office within 60 days of expiration.
- An emergency plan for relocating vaccine in the event of power failures must be available in your offices.
- A primary and secondary immunization staff contact are necessary for each office.
- All Vaccine Information Statements (VIS) must be given PRIOR to administration of any vaccine.
- Please read the WyVIP policy packet and other available policies and procedures posted at www.immunizewyoming.com.

Check Your Vials:


is
it

Tdap
DTaP
or Td?


Tdap: Tetanus, Reduced Diphtheria, Acellular Pertussis

Preteens - Adults

ADACEL™ (sanofi pasteur) Ages 11-64 years




Boostrix® (GlaxoSmithKline) Ages 10-18 years




DTaP: Diphtheria, Tetanus, Acellular Pertussis

Infants - Young Children

DAPTACEL® (sanofi pasteur) Ages 6 weeks up to 7 years




Infanrix® (GlaxoSmithKline) Ages 6 weeks up to 7 years



TRIPEDIA® (sanofi pasteur) Ages 6 weeks up to 7 years




Pediarix® (GlaxoSmithKline) Ages 6 weeks up to 7 years



Td: Tetanus, Diphtheria

Td (sanofi pasteur) Ages 7 years and older



With the Tdap vaccine, pertussis protection is available for adolescents and adults up to age 64. Carefully check your vaccine vials to ensure that you give the right vaccine to the appropriate age groups.

WyVIP Material Request Form

kmc V.7 05/01/08

DATE: _____

PIN: _____

CONTACT NAME: _____ PHONE: _____

FACILITY NAME _____ FAX: _____

MAILING ADDRESS: _____

CITY/STATE/ZIP: _____

Material requests can be submitted by Fax to 307-777-3615 or mailed to: WDH-CPHD-Immunization Section, 6101 Yellowstone Rd., Ste 420, Cheyenne, WY 82002 Please call 307-777-7952 with any questions.

* Items marked with an asterisk can be downloaded and printed from our web site: www.immunizewyoming.com

WyVIP Program Forms and Packets

Item	Quantity	Notes (WyVIP only)	Item	Quantity	Notes (WyVIP only)
Enrollment Packets*			Monthly Reports*		
PP/Hospital/PHN/Ind. Health-Child			Doses Administered Form		
RHC/FQHC-Child			Inventory Form		
Adult Program			Temperature Log (Celcius)		
Eligibility Policy Packets*			Special Clinic Order Form		
PP/Hospital/PHN/Ind. Health-Child			Flu Doses Administered		
RHC/FQHC-Child			Flu Vaccine Inventory		
Adult Program			Vaccines Currently Available		

Vaccine Information Statements (VIS)*

Vaccine/Date VIS published	Quantity (pads of 50)	Vaccine/Date of VIS	Quantity (pads of 50)
DTaP (05/17/2007)		Meningococcal (01/28/2008)	
EIPV (01/01/2000)		MMR (03/13/2008)	
Inactivated Flu (07/16/2007)		PCV7 (09/30/2002)	
Live Intranasal Flu (10/04/2007)		Rotavirus (04/12/2006)	
Hepatitis A (03/21/2006)		Td (06/10/1994)	
Hepatitis B (07/18/2007)		Tdap (07/12/2006)	
Hib (12/16/1998)		Varicella (03/13/2008)	
Human Papillomavirus HPV (02/02/2007)			

IMMUNIZATION RECORDS

Item	Quantity	Item	Quantity
Official Record of Immunization (Yellow Form) pads of 50		WyVIP Private Practice Vaccine Admin. Form (Green Form) pads of 50	
Personal Record of Immunization (wallet-size cards) packs of 25			

WyVIP PROMOTIONAL AND OTHER IMMUNIZATION RELATED MATERIALS

Item	Qty	Item	Qty
Recall postcards		"Jab & Gab" Newsletter Mo.____Yr.____	
VFC Stickers		CDC Epidemiology & Prevention of Vaccine-Preventable Diseases 10 th . Ed.(Pink Book) Limit 1 per provider	
Immunization Registries Brochure		WyVIP Protecting Wyoming's Citizens 11"x17" poster *	

Flu Promotional Items available only during Flu Season

Coming soon from CDC



Immunization Update 2008 will air August 28, 2008

Stay informed about the latest developments in the rapidly changing field of immunization. Join us for the Immunization Update, 2008 webcast on August 28, 2008, from 12:00 noon to 2:30 pm (Eastern Time).

The webcast will feature a live question-and-answer session in which participants can interact with course instructors via toll-free telephone lines.

For information on how to access the webcast, go to:

<http://www.cdc.gov/vaccines/ed>

Learn about the latest recommendations from the Advisory Committee on Immunization Practice and other new immunization-related developments.

Anticipated topics for this webcast:

- Influenza vaccination
- Zoster vaccination against shingles
- Recently approved vaccines
- Updates on vaccine supplies and vaccine safety

Continuing Education credits will be provided.

Also available from CDC

This self-study series is offered free of charge in DVD and web-on-demand formats.

Continuing Education credits will be provided.

2008 Epidemiology & Prevention of Vaccine-Preventable Diseases

This four-part self-study series provides the most current information available in the constantly changing field of immunization. Together, the four sessions offer a comprehensive overview of immunization. Session ONE discusses principles and general recommendations on immunization. Sessions TWO, THREE and FOUR discuss specific vaccine-preventable diseases and their respective vaccines. Each of the four sessions is three hours in duration. For more information on how to order the DVD or to access the web-on-demand version, visit our website.




www.cdc.gov/vaccines/ed/epivac/default.htm



HANDLE WITH CARE

If we don't protect our vaccine, it won't protect our patients!



VACCINES ARE EXPENSIVE! Look at what they cost per dose:

DTaP	\$22.04	Hib	\$21.78	Pneumococcal	\$78.44
Hepatitis A	\$27.41	IPV	\$22.80	Hep-B-Hib	\$43.56
Hepatitis B	\$59.70	MMR	\$48.54	DTaP-HepB-IPV	\$70.72
Influenza	\$16.09	Varicella	\$77.51	Tdap	\$37.43
HPV	\$125.29	Meningococcal	\$93.87		

VACCINE HANDLING RULES

Refrigerate vaccine immediately*. Store Varicella vaccine in freezer. Do not store any vaccine in the doors of the refrigerator or freezer.

Protect MMR and Varicella from light at all times. Don't get vial out until time to reconstitute and administer. Diluent does not need refrigeration. Never Freeze diluents.

Rotate vaccine stock to avoid outdating. Use short-dated vaccines first. If possible, keep vials in their boxes. Don't use outdated vaccine. Don't over-order.

Safeguard the refrigerator. Make sure it stays plugged in. It should have a safety lock type plug. Post warning signs so maintenance workers don't unplug or turn off electricity.

Maintain proper temperatures in the refrigerator: 2° C to 8° C (35° F to 46° F) ; and in the freezer -15° C (5° F) or lower. If space allows, keep temperatures stable by placing plastic containers of water in the refrigerator and cold packs (blue ice) in the freezer.

Check refrigerator and freezer twice a day, first thing in the morning and last thing at night. Record temperatures and time on a temperature log sheet.

* Refer to package insert for specific instructions on each vaccine. If you have questions about the condition of the vaccines at the time of delivery, first store item properly, then notify Joanna Briggs, R.N., Clinical Coordinator and she will notify the supplier and get instructions.